

Message

From: Roy-Semmen, Shukla@DTSC [Shukla.Roy-Semmen@dtsc.ca.gov]
Sent: 9/29/2016 3:52:09 PM
To: Santos, Carmen [Santos.Carmen@epa.gov]; Carvalho, Moises@DTSC [Moises.Carvalho@dtsc.ca.gov]
CC: Wilson, Patrick [Wilson.Patrick@epa.gov]
Subject: RE: CBS / Former Westinghouse

Thanks Carmen. I look forward to working with you and Patrick.

Shukla Roy-Semmen, Ph.D.
Staff Toxicologist
Department of Toxic Substances Control
California Environmental Protection Agency
5796 Corporate Avenue
Cypress, CA 90630
Phone: 714-484-5448

From: Santos, Carmen [mailto:Santos.Carmen@epa.gov]
Sent: Wednesday, September 28, 2016 4:53 PM
To: Roy-Semmen, Shukla@DTSC; Carvalho, Moises@DTSC
Cc: Wilson, Patrick
Subject: RE: CBS / Former Westinghouse

Hello Shukla and Moises:

We also appreciate your participation on today's call with CBS. We plan to continue keeping you and Moises in the loop of the PCB cleanup activities.

Shukla, with regard to a CBS risk assessment that you mentioned in your message, I have attached below the letter that CBS transmitted to us via email on August 4, 2016. That letter contains the assumptions made by CBS in developing the cleanup levels and screening criteria they proposed to EPA. Hopefully the attached email from CBS contains the information of interest to you. If it does not, please write or call. Thank you.

Best,
Carmen

Carmen D. Santos

PCB Coordinator
USEPA Region 9 (LND-4-1)
Land Division
75 Hawthorne Street
San Francisco, CA 94105
Voice: 415.972.3360
santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. Think Green.

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Roy-Semmen, Shukla@DTSC [<mailto:Shukla.Roy-Semmen@dtsc.ca.gov>]
Sent: Wednesday, September 28, 2016 4:05 PM
To: Santos, Carmen <Santos.Carmen@epa.gov>; Wilson, Patrick <Wilson.Patrick@epa.gov>
Subject: RE: CBS / Former Westinghouse

Hi Carmen and Patrick,

Thank you for including me in your discussions with CBS Westinghouse today. I was wondering if you would forward the risk assessment document(s) and work plan for the PCB evaluation at the site. I would like to have these for future reference. Thank you.

Shukla Roy-Semmen, Ph.D.
Staff Toxicologist
Department of Toxic Substances Control
California Environmental Protection Agency
5796 Corporate Avenue
Cypress, CA 90630
Phone: 714-484-5448

From: Santos, Carmen [<mailto:Santos.Carmen@epa.gov>]
Sent: Wednesday, September 28, 2016 10:34 AM
To: Carvalho, Moises@DTSC; Roy-Semmen, Shukla@DTSC
Subject: RE: CBS / Former Westinghouse

Hi Moises and Shukla:

Below is the call-in information provided by CBS for the call with them and the consultant for the property owner (Hager Pacific) at 11:00 am today.

Phone #: 605.475.2090
Code: 8834113#

Our senior toxicologist, Dr. Patrick Wilson, will be on the call.

Best,
Carmen

Carmen D. Santos

PCB Coordinator
USEPA Region 9 (LND-4-1)
Land Division
75 Hawthorne Street
San Francisco, CA 94105
Voice: 415.972.3360

santos.carmen@epa.gov

"Think left and think right and think low and think high. Oh, the things you can think up if only you try!" Dr. Seuss

Before printing this message and/or attachments, think if it is necessary. Think Green.

{This e-mail message, including any attachments, may contain non public, privileged, and/or confidential information solely intended to be conveyed to the designated recipient(s). If you receive this e-mail message and are not an intended recipient, please delete this e-mail message and its attachments immediately. The unauthorized use, dissemination, distribution, or reproduction of this e-mail and its attachments is strictly prohibited by law.}

From: Carvalho, Moises@DTSC [<mailto:Moises.Carvalho@dtsc.ca.gov>]
Sent: Wednesday, September 28, 2016 7:09 AM
To: Santos, Carmen <Santos.Carmen@epa.gov>
Subject: RE: CBS / Former Westinghouse

Hi Carmen,

Good Morning.

Is the teleconference confirmed to occur today? If is the case, would be possible to send me the telephone number and access code.

Thanks

Moises

-----Original Appointment-----

From: Santos, Carmen [<mailto:Santos.Carmen@epa.gov>]
Sent: Friday, September 23, 2016 7:23 AM
To: Santos, Carmen; Wilson, Patrick; Cepko, Russ P; Rykaczewski, Dave A.; Leo Brausch; Romano, Amy M.; Rob Neal; Diana Olson; Cousineau, Mark S.; Carvalho, Moises@DTSC; Roy-Semmen, Shukla@DTSC
Subject: CBS / Former Westinghouse
When: Wednesday, September 28, 2016 11:00 AM-12:30 PM (UTC-08:00) Pacific Time (US & Canada).
Where: R9SF-Room-16321-4-LonePine

Hello,

I am scheduling a meeting with you to solve the matters associated with the screening and cleanup levels that CBS and Hager Pacific proposed for the interior of the former Westinghouse warehouse building. I have attached the key emails pertaining to these essential elements of a plan for cleanup of PCBs inside the subject building. EPA would approve such a plan under the TSCA PCB regulations at 40 CFR 761.61 761.61(c). This regulation contains requirements for PCB risk-based cleanups. I have scheduled the call for 1.5 hours.

Leo, could you please provide a conference call number and code? Risk assessors from CBS, DTSC, and EPA should participate in this call. These are key players in the decisions that need to be made.

ED_002285A_00000441-00003

<< Message: RE: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels >> << Message: TSCA PCBs: CBS / Former Westinghouse, Rancho Dominguez - EPA Comments: EPCs and PCB Screening Criteria and Cleanup Levels >> << Message: CBS -- Rancho Dominguez, California >>